

Wind speed in Miles Per Hour (MPH) is for reference purposes only; reference the wind speed conversion charts for exact Design Loads or consult local Authority Having Jurisdiction (AHJ) to insure the door being specified meets

### ASPEN AP200 WIND LOAD DOORS

8' WIDE	P-2339 NOT IMPACT-RATED					EXPOSURE			Approvals						
	SINGLE ENDSTILES					B	C	C							
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH	<25' MRH	FBC 2014	FBC 2010	Dade County
7						8	9	10	MPH	MPH	MPH				
+ 20.8 - 23.5	+ 20.8 - 23.5	+ 20.8 - 23.5	8	1					140	130	120	Not Avail.	Not Avail.	Not Avail.	Not Avail.

MRH = Mean Roof Height

8' WIDE	P-2340-B NOT IMPACT-RATED					EXPOSURE			Approvals						
	(1) 20 GAGE UBAR PER SECTION; SINGLE ENDSTILES					B	C	C							
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH	<25' MRH	FBC 2014	FBC 2010	Dade County
7						8	9	10	MPH	MPH	MPH				
+ 48.6 - 55.0	+ 48.6 - 55.0	+ 48.6 - 55.0	8	1					200	200	190	FL21471	Not Avail.	Not Avail.	Not Avail.

MRH = Mean Roof Height

8' WIDE	P-2341-B NOT IMPACT-RATED					EXPOSURE			Approvals						
	(1) 18 GAGE UBAR PER SECTION; SINGLE ENDSTILES					B	C	C							
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH	<25' MRH	FBC 2014	FBC 2010	Dade County
7						8	9	10	MPH	MPH	MPH				
+ 63.1 - 70.4	+ 63.1 - 70.4	+ 63.1 - 70.4	8	1					200	200	200	FL21471	Not Avail.	Not Avail.	Not Avail.

MRH = Mean Roof Height

8' WIDE	P-2342 NOT IMPACT-RATED					EXPOSURE			Approvals						
	(1) 20 GAGE BOX STRUT PER SECTION; DOUBLE ENDSTILES					B	C	C							
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH	<25' MRH	FBC 2014	FBC 2010	Dade County
7						8	9	10	MPH	MPH	MPH				
+ 73.3 - 80.0	N/A	N/A	8	1					200	200	200	FL21471	Not Avail.	Not Avail.	Not Avail.

MRH = Mean Roof Height

9' WIDE	P-2339 NOT IMPACT-RATED					EXPOSURE			Approvals						
	SINGLE ENDSTILES					B	C	C							
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH	<25' MRH	FBC 2014	FBC 2010	Dade County
7						8	9	10	MPH	MPH	MPH				
+ 18.5 - 20.9	+ 18.5 - 20.9	+ 18.5 - 20.9	9	1					130	120	120	Not Avail.	Not Avail.	Not Avail.	Not Avail.

MRH = Mean Roof Height

9' WIDE	P-2340-B NOT IMPACT-RATED					EXPOSURE			Approvals						
	(1) 20 GAGE UBAR PER SECTION; SINGLE ENDSTILES					B	C	C							
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH	<25' MRH	FBC 2014	FBC 2010	Dade County
7						8	9	10	MPH	MPH	MPH				
+ 43.2 - 48.9	+ 43.2 - 48.9	+ 43.2 - 48.9	9	1					200	190	180	FL21471	Not Avail.	Not Avail.	Not Avail.

MRH = Mean Roof Height

9' WIDE	P-2341-B NOT IMPACT-RATED					EXPOSURE			Approvals						
	(1) 18 GAGE UBAR PER SECTION; SINGLE ENDSTILES					B	C	C							
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH	<25' MRH	FBC 2014	FBC 2010	Dade County
7						8	9	10	MPH	MPH	MPH				
+ 56.1 - 62.6	+ 56.1 - 62.6	+ 56.1 - 62.6	9	1					200	200	200	FL21471	Not Avail.	Not Avail.	Not Avail.

MRH = Mean Roof Height

9' WIDE	P-2342 NOT IMPACT-RATED					EXPOSURE			Approvals							
	(1) 20 GAGE BOX STRUT PER SECTION; DOUBLE ENDSTILES					B	C	C								
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH	<25' MRH	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.
						7	8	9	10	MPH	MPH	MPH				
+ 73.3 - 80.0	N/A	N/A	9	1					200	200	200	FL21471	Not Avail.	Not Avail.	Not Avail.	

MRH = Mean Roof Height

10' WIDE	P-2339 NOT IMPACT-RATED					EXPOSURE			Approvals							
	SINGLE ENDSTILES					B	C	C								
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH	<25' MRH	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.
						7	8	9	10	MPH	MPH	MPH				
+ 15.0 - 16.9	+ 15.0 - 16.9	+ 15.0 - 16.9	9	1					120	110	100	Not Avail.	Not Avail.	Not Avail.	Not Avail.	

MRH = Mean Roof Height

10' WIDE	P-2340-B NOT IMPACT-RATED					EXPOSURE			Approvals							
	(1) 20 GAGE UBAR PER SECTION; SINGLE ENDSTILES					B	C	C								
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH	<25' MRH	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.
						7	8	9	10	MPH	MPH	MPH				
+ 35.0 - 39.6	+ 35.0 - 39.6	+ 35.0 - 39.6	10	2					190	170	160	FL21471	Not Avail.	Not Avail.	Not Avail.	

MRH = Mean Roof Height

10' WIDE	P-2341-B NOT IMPACT-RATED					EXPOSURE			Approvals							
	(1) 18 GAGE UBAR PER SECTION; SINGLE ENDSTILES					B	C	C								
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH	<25' MRH	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.
						7	8	9	10	MPH	MPH	MPH				
+ 45.4 - 50.7	+ 45.4 - 50.7	+ 45.4 - 50.7	10	2					200	190	180	FL21471	Not Avail.	Not Avail.	Not Avail.	

MRH = Mean Roof Height

10' WIDE	P-2342 NOT IMPACT-RATED					EXPOSURE			Approvals							
	(1) 20 GAGE BOX STRUT PER SECTION; DOUBLE ENDSTILES					B	C	C								
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH	<25' MRH	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.
						7	8	9	10	MPH	MPH	MPH				
+45.0 - 52.0	N/A	N/A	10	2					200	190	180	FL21471	Not Avail.	Not Avail.	Not Avail.	

MRH = Mean Roof Height

12' WIDE	P-2340-B NOT IMPACT-RATED					EXPOSURE			Approvals							
	(1) 20 GAGE UBAR PER SECTION; SINGLE ENDSTILES					B	C	C								
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH	<25' MRH	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.
						7	8	9	10	MPH	MPH	MPH				
+ 24.3 - 27.5	+ 24.3 - 27.5	+ 24.3 - 27.5	12	2					160	140	130	FL21471	Not Avail.	Not Avail.	Not Avail.	

MRH = Mean Roof Height

12' WIDE	P-2341-B NOT IMPACT-RATED					EXPOSURE			Approvals							
	(1) 18 GAGE UBAR PER SECTION; SINGLE ENDSTILES					B	C	C								
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH	<25' MRH	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.
						7	8	9	10	MPH	MPH	MPH				
+ 31.6 - 35.2	+ 31.6 - 35.2	+ 31.6 - 35.2	12	2					180	160	150	FL21471	Not Avail.	Not Avail.	Not Avail.	

MRH = Mean Roof Height

P-2342 NOT IMPACT-RATED					EXPOSURE						
-------------------------	--	--	--	--	----------	--	--	--	--	--	--

12' WIDE	P-2340-B NOT IMPACT-RATED									EXPOSURE			Approvals			
	(1) 20 GAGE BOX STRUT PER SECTION; DOUBLE ENDSTILES									B	C	C				
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH	<25' MRH	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.
	+45.0 - 52.0	N/A	N/A	12	2	7	8	9	10	MPH	MPH	MPH	FL21471	Not Avail.	Not Avail.	Not Avail.

MRH = Mean Roof Height

14' WIDE	P-2340-B NOT IMPACT-RATED									EXPOSURE			Approvals			
	(1) 20 GAGE UBAR PER SECTION; SINGLE ENDSTILES									B	C	C				
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH	<25' MRH	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.
	+ 17.9 - 20.2	+ 17.9 - 20.2	+ 17.9 - 20.2	14	4	7	8	9	10	MPH	MPH	MPH	FL21471	Not Avail.	Not Avail.	Not Avail.

MRH = Mean Roof Height

14' WIDE	P-2341-B NOT IMPACT-RATED									EXPOSURE			Approvals			
	(1) 18 GAGE UBAR PER SECTION; SINGLE ENDSTILES									B	C	C				
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH	<25' MRH	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.
	+ 23.2 - 25.9	+ 23.2 - 25.9	+ 23.2 - 25.9	14	4	7	8	9	10	MPH	MPH	MPH	FL21471	Not Avail.	Not Avail.	Not Avail.

MRH = Mean Roof Height

14' WIDE	P-2342 NOT IMPACT-RATED									EXPOSURE			Approvals			
	(1) 20 GAGE BOX STRUT PER SECTION; DOUBLE ENDSTILES									B	C	C				
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH	<25' MRH	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.
	+45.0 - 52.0	N/A	N/A	14	4	7	8	9	10	MPH	MPH	MPH	FL21471	Not Avail.	Not Avail.	Not Avail.

MRH = Mean Roof Height

16' WIDE	P-2340-B NOT IMPACT-RATED									EXPOSURE			Approvals			
	(1) 20 GAGE UBAR PER SECTION; SINGLE ENDSTILES									B	C	C				
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH	<25' MRH	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.
	+13.7 - 15.5	+13.7 - 15.5	+13.7 - 15.5	16	3	7	8	9	10	MPH	MPH	MPH	FL21471	Not Avail.	Not Avail.	Not Avail.

MRH = Mean Roof Height

16' WIDE	P-2341-B NOT IMPACT-RATED									EXPOSURE			Approvals			
	(1) 18 GAGE UBARS PER SECTION; SINGLE ENDSTILES									B	C	C				
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH	<25' MRH	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.
	+ 17.8 - 19.8	+ 17.8 - 19.8	+ 17.8 - 19.8	16	3	7	8	9	10	MPH	MPH	MPH	FL21471	Not Avail.	Not Avail.	Not Avail.

MRH = Mean Roof Height

16' WIDE	P-2342 NOT IMPACT-RATED									EXPOSURE			Approvals			
	(1) 20 GAGE BOX STRUT PER SECTION; DOUBLE ENDSTILES									B	C	C				
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH	<25' MRH	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.
	+45.0 - 52.0	N/A	N/A	16	3	7	8	9	10	MPH	MPH	MPH	FL21471	Not Avail.	Not Avail.	Not Avail.

MRH = Mean Roof Height

8' WIDE	P-2340-B NOT IMPACT-RATED									EXPOSURE			Approvals			
	(1) 20 GAGE UBAR PER SECTION; SINGLE ENDSTILES									B	C	C				
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH	<25' MRH	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.
						7	8	9	10	MPH	MPH	MPH	FL2014	FBC 2010	Dade County	Texas Dept. of Ins.

1	+10.8	+10.8	+10.8	16	3		100	90	90	FL21471	Not Avail.	Not Avail.	Not Avail.
	-12.2	-12.2	-12.2										

MRH = Mean Roof Height

18' WIDE	P-2341-B NOT IMPACT-RATED					EXPOSURE			Approvals						
	(1) 18 GAGE UBARS PER SECTION; SINGLE ENDSTILES					B	C	C	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.			
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height							<30' MRH	<15' MRH	<25' MRH
						7	8	9	10	MPH	MPH	MPH			
+14.0 -15.7	+14.0 -15.7	+14.0 -15.7	18	3					120	110	100	FL21471	Not Avail.	Not Avail.	Not Avail.

MRH = Mean Roof Height

18' WIDE	P-2342 NOT IMPACT-RATED					EXPOSURE			Approvals						
	(1) 20 GAGE BOX STRUT PER SECTION; DOUBLE ENDSTILES					B	C	C	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.			
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height							<30' MRH	<15' MRH	<25' MRH
						7	8	9	10	MPH	MPH	MPH			
+33.4 -36.7	N/A	N/A	18	3					190	170	160	FL21471	Not Avail.	Not Avail.	Not Avail.

MRH = Mean Roof Height

20' WIDE	P-2341-B NOT IMPACT-RATED					EXPOSURE			Approvals						
	(1) 18 GAGE UBARS PER SECTION; SINGLE ENDSTILES					B	C	C	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.			
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height							<30' MRH	<15' MRH	<25' MRH
						7	8	9	10	MPH	MPH	MPH			
+11.4 -12.7	+11.4 -12.7	+11.4 -12.7	20	4					110	100	90	FL21471	Not Avail.	Not Avail.	Not Avail.

MRH = Mean Roof Height

20' WIDE	P-2342 NOT IMPACT-RATED					EXPOSURE			Approvals						
	(1) 20 GAGE BOX STRUT PER SECTION; DOUBLE ENDSTILES					B	C	C	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.			
	Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height							<30' MRH	<15' MRH	<25' MRH
						7	8	9	10	MPH	MPH	MPH			
+33.4 -36.7	N/A	N/A	20	4					190	170	160	FL21471	Not Avail.	Not Avail.	Not Avail.

MRH = Mean Roof Height